

Data Sheet for Article: BK080007--

# Flush-mounted enclosure 3-rows, 54MW, IP40, transparent door

H=520 W=391 D=106mm, protection class 2, ABS, halogen free, RAL 9003



## SCHRACK-Info

- Flush-mounted domestic consumer unit enclosures in ABS with transparent plastic doors
- Lock: push-button, a small cylinder can be installed
- Includes PE and N terminals
- Protection class II
- Halogen free according to RoHS
- Rated voltage 400VAC / In=63A
- Ambient temperature: -25° to +60°C
- Glow wire test: 650°C
- Recess depth: 68-70mm
- Degree of protection: IP40, Impact resistance: IK08
- RAL9010 pure white



## Technical Data

|                |        |
|----------------|--------|
| Net width (mm) | 391,00 |
|----------------|--------|

## Technical Data - continued

|                               |                      |
|-------------------------------|----------------------|
| Net height (mm)               | 520,00               |
| Netto depth (mm)              | 106,00               |
| Net weight (kg)               | 2,60                 |
| EAN                           | 9004840782127        |
| Power loss (W)                | -45,00               |
| Min. ambient temperature (°C) | -25                  |
| Max. ambient temperature (°C) | 60                   |
| Door material                 | Plastic, transparent |
| Halogen-free                  | Yes                  |
| Rows                          | 3                    |
| MW per row                    | 18                   |
| IP Rating                     | IP40                 |

## Article Table

| DESCRIPTION                                                                                                                          | Order No. |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Flush-mounted enclosure 3-rows, 54MW, IP40, transparent door<br>H=520 W=391 D=106mm, protection class 2, ABS, halogen free, RAL 9003 | BK080007  |
| <b>Optional Accessories</b>                                                                                                          |           |
| Round cylinder sash lock 2233 for TOPO BK0800 + BK0801<br>metal, 2x keys included                                                    | BK080096  |