

Data Sheet for Article: DV610004-A

# Network Enclosure Wallmount DV, W310xH248xD260, 10", 4U, RAL7035




## Technical Data

|                               |          |
|-------------------------------|----------|
| Net width (mm)                | 310,00   |
| Net height (mm)               | 248,00   |
| Netto depth (mm)              | 260,00   |
| Net weight (kg)               | 5,40     |
| Min. ambient temperature (°C) | 0        |
| Max. ambient temperature (°C) | 40       |
| Suitable for HU               | 4U-248mm |
| IP Rating                     | IP20     |


## Datei Tabelle: Network Enclosure Wallmount DV, W310xH248xD260, 10", 4U, RAL7035

| Typ        | A    | B   | C   | D   | E   | R1  | R2  | Gross Weight<br>(kg) | Net Weight<br>(kg) | Recommended<br>Maximum<br>load (kg) |
|------------|------|-----|-----|-----|-----|-----|-----|----------------------|--------------------|-------------------------------------|
|            | (mm) |     |     |     |     |     |     |                      |                    |                                     |
| DV610004-A | 248  | 169 | 255 | 310 | 260 | 212 | 212 | 5,5                  | 5,4                | 20                                  |
| DV610006-A | 337  | 258 | 255 | 310 | 260 | 301 | 212 | 6,9                  | 6,9                |                                     |
| DV610009-A | 470  | 391 | 255 | 310 | 260 | 434 | 212 | 8,3                  | 8,2                |                                     |

**Dimensioned drawing: Network Enclosure Wallmount  
DV, W310xH248xD260, 10", 4U, RAL7035**



## Schnittansicht der vertikalen 10"-Profilschienen



## Article Table

| DESCRIPTION                                                                                              | Order No.  |
|----------------------------------------------------------------------------------------------------------|------------|
| Network Enclosure Wallmount DV,W310xH248xD260, 10",4U,RAL7035                                            | DV610004-A |
| <b>Optional Accessories</b>                                                                              |            |
| Patchpanel 10" empty for 12 modules (SFA)(SFB), 1U, RAL7035<br>Light grey, patchcord lock down           | HSER0120GS |
| DE-EMBEDDED LINE Patchpanel 10" 10xRJ45 shielded, 10GB, 1U<br>Class Ea, 4PPoE (100W), RAL7035 Light grey | HSERG106GV |
| 10" Shelf Fix, D=150mm, Low Profile, RAL7035                                                             | IU071000-A |
| Switch Smart Lite 8xRJ45 10/100/1000, 10"<br>8 x 10/100/1000Base-T RJ45 Port, Internal power supply      | QLGES2208  |
| Switch Smart Lite 16xRJ45 10/100/1000, 10"<br>16 x 10/100/1000Base-T RJ45 Port, Internal power supply    | QLGES2216  |
| Switch 8xRJ45 10/100/1000, Silent, w/o fan, external PSU<br>Desktop, Metal-chassis                       | QLGEU0822  |
| 10" PDU, 3xSchuko, Profile ALU 1U, 2m-cable, RAL7035                                                     | IU070122   |
| 10" PDU, 3x Schuko, 1U, 2m-cable, Black, ALU<br>ALU Profile                                              | Q7070122   |

Article Table

| DESCRIPTION                                          | Order No. |
|------------------------------------------------------|-----------|
| <b>Optional Accessories</b>                          |           |
| 10" PDU, 4x Schuko, 1U, 2m-cable, switch, Black, ALU | Q7070132  |
| ALU Profile                                          |           |
| 10" DIN-rail panel, 3U, RAL7035                      | DAB34812  |