

Data Sheet for Article: EV101257--

Pin socket outlet with safety shutter, cage clamps, orange

VISIO S 50 (50x50), Rated current 16A, Connection type Plug-in terminal, Orange



Technical Data

Net length (mm)	70,00
Net width (mm)	70,00
Net height (mm)	41,00
Net weight (kg)	0,09
Series	02-VISIO S 50
Design	CLASSIC
Product type	Shockproof socket
Operating voltage AC (V)	230
Rated current (A)	16
mounting	Screws and claws
Mounting method	Flush-mounted
IP Rating	IP20
Colour	Orange
Connection type	Plug-in terminal
Connection clamps	according to EN 60884-1
Allowed cables	Stiff
Allowed cross-section (mm²)	1,5 und 2,5

Technical Data - continued

Material	ABS
	Brass
	Galvanized steel
	Plastic
	Copper
Environment	Halogen free
Sustainability	ROHS
test mark	VDE
Dimensions (mm)	70x70x40
Mounting Depth mm (mm)	30

Article Table

DESCRIPTION	Order No.
Pin socket outlet with safety shutter, cage clamps, orange VISIO S 50 (50x50), Rated current 16A, Connection type Plug-in terminal, Orange	EV101257
Optional Accessories	
One gang frame, Design CLASSIC, white VISIO S 50 (50x50); VISIO 50, ABS, ROHS, White	EV105001
Two gang frame, Design CLASSIC, white VISIO S 50 (50x50); VISIO 50, ABS, ROHS, White	EV105002
One gang frame, Design CLASSIC, anthracite VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Anthracite	EV115001
Two gang frame, Design CLASSIC, anthracite VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Anthracite	EV115002
One gang frame, CLASSIC, silver VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Silver	EV125001
Two gang frame, Design CLASSIC, silver VISIO S 50 (50x50); VISIO 50, ABS, ROHS, Silver	EV125002