

Data Sheet for Article: HSATA080SW

SAT Antenna 80/75cm, Steel, 39dB, foldable feed-arm, white

RAL7035



SCHRACK-Info

- Parabolic dishes with heavy-duty structure to endure harsh weather conditions and strict installation conditions.
- Polyester powder coating for outdoor use.
- Galvanized steel dish at high resistance for long-lasting performances and effective protections against corrosion.
- Double edging of the dish for high torsional stiffness.
- Hot-galvanized steel mount with shaped molding to adhere to the reflector disc and reduce the contact pressure enhancing the mechanical stiffness.

TECHNICAL DATA

These 80 / 75 cm Offset parabolic dishes are realized by high precision forming which guarantees a constant production quality. Effective protection against corrosion offers long-lasting durability.

Material:

- Dishes made from galvanized steel sheet. Double edging of the dish for high torsional stiffness.
- Polyester powder coating for outdoor use in 2 colors: Anthracite and White
- Hot-galvanized steel sheet mounts. Shaped molding to adhere to the reflector disc and reduce the contact pressure enhancing the mechanical stiffness.
- AZ/EL mount with zenith indicator.
- Feedarm foldable, in aluminum alloy.
- LNB-holder suitable for LNB's with Ø 23 or 40 mm

Highest performance:

- High electric performances thanks to the accurate focus.
- Diameter: 80 / 75 cm
- Material: Steel
- Gain at 12 GHz: 38,8 dB
- Mount material: Hot galvanized steel
- Suitable for Mast (Ø): 30 - 60 mm
- LNB fixing (Ø): 23 / 40 mm
- Max. Elevation: 15° - 60°

Technical Data

Net length (mm)	1.000,00
Net width (mm)	780,00
Net height (mm)	100,00
Net weight (kg)	7,00
Min. ambient temperature (°C)	-40
Max. ambient temperature (°C)	60

Article Table

DESCRIPTION	Order No.
SAT Antenna 80/75cm, Steel, 39dB, foldable feed-arm, white RAL7035	HSATA080SW
Optional Accessories	
SAT LNB Single for connection to one receiver, 40mm feed Black	HSATL1A
SAT LNB Twin for connection to two receiver, 40mm feed black	HSATL2A
SAT LNB Quad for connection to four receiver, 40mm feed	HSATL4A
SAT LNB Octo for connection to eight receiver, 40mm feed	HSATL8A
SAT LNB Quattro for connection to a multiswitch, 40mm feed	HSATLSA--A
SAT LNB Holder Aluminium for 3 LNBs, Adjustable for HSATA100Ax/HSATA085Ax/HSATA080Ax	HSATZLH3A