


Data Sheet for Article: HSELS120CR

FO Splicebox for DIN Rail empty, 6 SC-Duplex, RAL7035

including accessories (PG, etc.), CLASSIC



Technical Data

Net width (mm)	126,00
Net height (mm)	35,20
Netto depth (mm)	155,65
Net weight (kg)	0,59
Colour	RAL 7035 (Light grey)
Min. ambient temperature (°C)	-10
Max. ambient temperature (°C)	70
Product	Empty Enclosures

Article Table

DESCRIPTION	Order No.
FO Splicebox for DIN Rail empty, 6 SC-Duplex, RAL7035 including accessories (PG, etc.), CLASSIC	HSELS120CR
Optional Accessories	
FO Coupler SC-Duplex, Plastic, OM3, ceramic, flange aqua, CLASSIC	HSELSK03CP
FO Coupler SC-Duplex, Plastic, OM4, ceramic, flange ericaviolet, CLASSIC	HSELSK04CP
FO Coupler SC-Duplex, Plastic, OM5, ceramic, flange limegreen, CLASSIC	HSELSK05CP
FO Coupler SC-Duplex, Plastic, OS2, ceramic, flange blue, CLASSIC	HSELSK09CP
FO Coupler SC/APC-Duplex, Plastic, OS2, ceramic, flange green, CLASSIC	HSELSK09DP
FO Pigtail SC, 50/125µm OM3, 2.0m, Easy Strip, 12pcs colored according to IEC 60304, CLASSIC	HLP03C122P
FO Pigtail SC, 50/125µm OM4, 2.0m, Easy Strip, 12pcs colored according to IEC 60304, CLASSIC	HLP04C122P
FO Pigtail SC, 50/125µm OM5, 2.0m, Easy Strip, 12pcs colored according to IEC 60304, CLASSIC	HLP05C122P
FO Pigtail SC, 9/125µm OS2, 2.0m, Easy Strip, 12pcs colored according to IEC 60304, CLASSIC	HLP09C122P
FO Pigtail SC/APC, 9/125µm OS2, 2.0m, Easy Strip, 12pcs colored according to IEC 60304, CLASSIC	HLP09D122P
FO Pigtail SC, 50/125µm OM3, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP03C082P
FO Pigtail SC, 50/125µm OM4, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP04C082P
FO Pigtail SC, 50/125µm OM5, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP05C082P
FO Pigtail SC, 9/125µm OS2, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP09C082P
FO Pigtail SC/APC, 9/125µm OS2, 2.0m, Easy Strip, 8pcs colored according to IEC 60304, CLASSIC	HLP09D082P
FO Pigtail SC, 50/125µm OM3, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP03C042P
FO Pigtail SC, 50/125µm OM4, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP04C042P
FO Pigtail SC, 50/125µm OM5, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP05C042P

Article Table

DESCRIPTION	Order No.
Optional Accessories	
FO Pigtail SC, 9/125µm OS2, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP09C042P
FO Pigtail SC/APC, 9/125µm OS2, 2.0m, Easy Strip, 4pcs colored according to IEC 60304, CLASSIC	HLP09D042P