

Data Sheet for Article: IGZGSW15--

# Wall-mounted counter frame for Vienna with 15 counter places

pre-wired, metal housing with meter panel made of plastic



## SCHRACK-Info

- 1,2mm Pulverbeschichteter Stahlblechrahmen mit Kunststoff Rückwand
- Kunststofffrontplatten
- gebaut nach EN61439-1
- Anschlussfertig
- Anschlussmöglichkeit bis 70mm<sup>2</sup>
- mit schaltbaren D02/25A 3-poligen Vorzählersicherungen
- inklusiver N- und PE-Klemmen und 10mm<sup>2</sup> Zählerschleife je Zählerplatz auf Reihenklemmen 10mm<sup>2</sup> verdrahtet
- mit doppelter Neutralleiterführung
- Schutzklasse: I
- Schutzart: IP20C
- Farbe: RAL7035 (Lichtgrau)



## Technical Data


|                |          |
|----------------|----------|
| Net width (mm) | 1.055,00 |
|----------------|----------|

Created online on 2026-08-01, No liability for errors. All information subject to change.

## Technical Data - continued

|                                  |                                              |
|----------------------------------|----------------------------------------------|
| Net height (mm)                  | 1.900,00                                     |
| Netto depth (mm)                 | 155,00                                       |
| Net weight (kg)                  | 73,00                                        |
| EAN                              | 9007985001009                                |
| Power loss (W)                   | -840,00                                      |
| Material                         | Metal housing<br>Meter panel made of plastic |
| Austrian province                | Vienna                                       |
| Protection class                 | 1                                            |
| Cross-section (mm <sup>2</sup> ) | 10                                           |
| mounting                         | surface-mounted                              |
| Colour                           | RAL 7035 (Light grey)                        |
| Meter slots                      | 15                                           |
| Width (mm)                       | 1055                                         |
| Height (mm)                      | 1910                                         |
| Depth (mm)                       | 180                                          |

**Dimensioned drawing: Wall-mounted counter frame for Vienna with 15 counter places**



[mm]

## Article Table

| DESCRIPTION                                                                                                                                                                   | Order No. |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Wall-mounted counter frame for Vienna with 15 counter places<br>pre-wired, metal housing with meter panel made of plastic                                                     | IGZGSW15  |
| <b>Optional Accessories</b>                                                                                                                                                   |           |
| Feed-through terminal block PT 10<br>Push-in connection, cross section: 0.5 mm <sup>2</sup> - 16 mm <sup>2</sup> , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey         | IP3212120 |
| Feed-through terminal block PT 10 BU<br>Push-in connection, cross section: 0.5 mm <sup>2</sup> - 16 mm <sup>2</sup> , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, blue      | IP3212123 |
| Feed-through terminal block PT 10-TWIN<br>Push-in connection, cross section: 0.5 - 16 mm <sup>2</sup> , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, grey                    | IP3208746 |
| Feed-through terminal block PT 10-TWIN BU<br>Push-in connection, cross section: 0.5 - 16 mm <sup>2</sup> , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, blue                 | IP3208747 |
| Ground modular terminal block PT 10-TWIN-PE<br>Push-in connection, 0.5 - 16 mm <sup>2</sup> , AWG: 20 - 6, width: 10.2 mm, height: 49.5 mm, green-yellow, NS 35/7.5, NS 35/15 | IP3208745 |
| End cover D-PT 10-TWIN<br>End cover, length: 88.9 mm, width: 2.2 mm, height: 42.6 mm, color: grey                                                                             | IP3208748 |
| Fixed bridge SCBI 10-10<br>Fixed bridge, poles: 10, color: silver-colored                                                                                                     | IP3246146 |