


Data Sheet for Article: IP3000950-

## Terminal block TB 2,5-TWIN I BU

Connection: screw-connection, 0.5 mm<sup>2</sup> - 2.5 mm<sup>2</sup>, AWG: 20 - 14, dark gray, installation on: NS 35/7.5, NS 35/15, NS 32



### Technical Data

|                                  |                       |
|----------------------------------|-----------------------|
| Netto depth (mm)                 | 47,00                 |
| Net width (mm)                   | 5,20                  |
| Net height (mm)                  | 50,00                 |
| Net weight (kg)                  | 0,01                  |
| EAN                              | 9004840579215         |
| Power loss (W)                   | 0,77                  |
| Min. ambient temperature (°C)    | -40                   |
| Max. ambient temperature (°C)    | 120                   |
| Basic Description                | Terminal              |
| System                           | screw clamp terminals |
| Series                           | TB                    |
| Version                          | accessories           |
| Cross-section (mm <sup>2</sup> ) | 2.5                   |
| Colour                           | Dark grey             |

## Article Table

| DESCRIPTION                                                                                                           | Order No.  |
|-----------------------------------------------------------------------------------------------------------------------|------------|
| Terminal block TB 2,5-TWIN I BU                                                                                       | IP3000950  |
| Connection: screw-connection, 0.5 mm² - 2.5 mm², AWG: 20 - 14, dark gray, installation on: NS 35/7.5, NS 35/15, NS 32 |            |
| <b>Optional Accessories</b>                                                                                           |            |
| Zack marker strip ZB 5, blank                                                                                         | IP1050004  |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 1-10                                                                      | IP10500171 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 11-20                                                                     | IP10500172 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 21-30                                                                     | IP10500173 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 31-40                                                                     | IP10500174 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 41-50                                                                     | IP10500175 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 51-60                                                                     | IP10500176 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 61-70                                                                     | IP10500177 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 71-80                                                                     | IP10500178 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 81-90                                                                     | IP10500179 |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip ZB 5, consecutive numbers 91-100                                                                    | IP1050017H |
| Strip, white, snap into tall marker groove, for terminal width: 5.15 mm, lettering field: 5.15 x 10.5 mm              |            |
| Zack marker strip flat ZBF 5, consecutive numbers 1-10                                                                | IP08086711 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm                     |            |
| Zack marker strip flat ZBF 5, consecutive numbers 11-20                                                               | IP08086712 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm                     |            |
| Zack marker strip flat ZBF 5, consecutive numbers 21-30                                                               | IP08086713 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm                     |            |
| Zack marker strip flat ZBF 5, consecutive numbers 31-40                                                               | IP08086714 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm                     |            |
| Zack marker strip flat ZBF 5, consecutive numbers 41-50                                                               | IP08086715 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm                     |            |

## Article Table

| DESCRIPTION                                                                                       | Order No.  |
|---------------------------------------------------------------------------------------------------|------------|
| <b>Optional Accessories</b>                                                                       |            |
| Zack marker strip flat ZBF 5, consecutive numbers 51-60                                           | IP08086716 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm |            |
| Zack marker strip flat ZBF 5, consecutive numbers 61-70                                           | IP08086717 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm |            |
| Zack marker strip flat ZBF 5, consecutive numbers 71-80                                           | IP08086718 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm |            |
| Zack marker strip flat ZBF 5, consecutive numbers 81-90                                           | IP08086719 |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm |            |
| Zack marker strip flat ZBF 5, consecutive numbers 91-100                                          | IP0808671H |
| Strip, white, snap into flat marker groove, for terminal width: 5 mm, lettering field: 5 x 5.2 mm |            |
| Cover D-TB 2,5/4-TWIN                                                                             | IP3059825  |
| End cover, length: 50.6 mm, wide: 2 mm, height: 35.9 mm, color: dark grey                         |            |
| Fixed bridge SCBI 10-5 N                                                                          | IP3246117  |
| Fixed bridge, poles: 10, color: silver-colored                                                    |            |
| Insertion bridge INB 10-5                                                                         | IP3246175  |
| Insert bridge, poles: 10, color: grey                                                             |            |
| Insulation plate TS-TB                                                                            | IP3062838  |
| Insulation plate, length: 22 mm, height: 22 mm, color: dark grey                                  |            |
| Test socket TPS 3/10/4                                                                            | IP3246230  |
| Test socket, color: silver-colored                                                                |            |
|                                                                                                   | IP1212602  |