


Data Sheet for Article: IP3246418-

## Fuse terminal block TB 4-HESI (5X20) I

Connection: screw-connection, 0.5 mm<sup>2</sup>- 6 mm<sup>2</sup>, AWG: 20 - 10, 6.3 A, 500 V, fuse-type:  
G / 5 x 20, dark grey



### Technical Data

|                                                                   |                       |
|-------------------------------------------------------------------|-----------------------|
| Netto depth (mm)                                                  | 48,00                 |
| Net width (mm)                                                    | 8,20                  |
| Net height (mm)                                                   | 58,00                 |
| Net weight (kg)                                                   | 0,01                  |
| EAN                                                               | 4046356608602         |
| Power loss (W)                                                    | 1,02                  |
| Min. ambient temperature (°C)                                     | -40                   |
| Max. ambient temperature (°C)                                     | 120                   |
| Basic Description                                                 | Terminal              |
| System                                                            | screw clamp terminals |
| Series                                                            | TB                    |
| Version                                                           | Fuse-holder terminals |
| Max. cross section, solid wire (mm <sup>2</sup> )                 | 6                     |
| Max. cross section, flexible wire (mm <sup>2</sup> )              | 4                     |
| Max. cross section, flexible wire with ferrule (mm <sup>2</sup> ) | 4                     |
| Min. cross section, solid wire (mm <sup>2</sup> )                 | 0,5                   |
| Min. cross section, flexible wire (mm <sup>2</sup> )              | 0,5                   |

## Technical Data - continued

|                                                                   |           |
|-------------------------------------------------------------------|-----------|
| Min. cross section, flexible wire with ferrule (mm <sup>2</sup> ) | 0,5       |
| Cross-section (mm <sup>2</sup> )                                  | 4         |
| Colour                                                            | Dark grey |
| Rated current (A)                                                 | 6,30      |

## Article Table

| DESCRIPTION                                                                                                                          | Order No. |
|--------------------------------------------------------------------------------------------------------------------------------------|-----------|
| Fuse terminal block TB 4-HESI (5X20) I                                                                                               | IP3246418 |
| Connection: screw-connection, 0.5 mm <sup>2</sup> - 6 mm <sup>2</sup> , AWG: 20 - 10, 6.3 A, 500 V, fuse-type: G / 5 x 20, dark grey |           |
| <b>Optional Accessories</b>                                                                                                          |           |
| End bracket CLIPFIX 15, to be snapped onto NS 15 DIN rail                                                                            | IP3022263 |
| Snap-on end bracket, color: gray                                                                                                     |           |
| End bracket CLIPFIX 35-5, for NS 35/7,5 or NS 35/15                                                                                  | IP3022276 |
| Quick mounting end clamp, with marking option, width: 5.15 mm, color: gray                                                           |           |
| End bracket CLIPFIX 35, for NS 35/7,5 DIN rail or NS 35/15                                                                           | IP3022218 |
| Quick mounting end clamp, with marking option, width: 9.5 mm, color: gray                                                            |           |
| End bracket E/UK                                                                                                                     | IP1201442 |
| End clamp, Width: 9.5 mm, Height: 35.3 mm, Length: 50.5 mm, Color: gray                                                              |           |
| End bracket E/UK 1                                                                                                                   | IP1201413 |
| End clamps, for supporting the ends of double-level and three-level terminal blocks, width: 10 mm, color: gray                       |           |
| End bracket E/MBK                                                                                                                    | IP1401637 |
| End clamp, width: 6.2 mm, color: gray                                                                                                |           |
| End bracket E/MK 1                                                                                                                   | IP1421659 |
| End clamp width: 6 mm, color: gray                                                                                                   |           |
| End bracket E/NS 35 N                                                                                                                | IP0800886 |
| End clamp, width: 9.5 mm, color: gray                                                                                                |           |
| Marking tags for TB and ST - terminals, 1-30 (each 2x)                                                                               | IP196001  |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                                                       |           |
| Marking tags for TB and ST - terminals, 31-60 (each 2x)                                                                              | IP196031  |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                                                       |           |
| Marking tags for TB and ST - terminals, 61-90 (each 2x)                                                                              | IP196061  |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                                                       |           |
| Marking tags for TB and ST - terminals, 91-120 (each 2x)                                                                             | IP196091  |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                                                       |           |

## Article Table

| DESCRIPTION                                                                                             | Order No.  |
|---------------------------------------------------------------------------------------------------------|------------|
| <b>Optional Accessories</b>                                                                             |            |
| Marking tags for TB and ST - terminals, 121-150 (each 2x)                                               | IP196121   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 151-180 (each 2x)                                               | IP196151   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 181-210 (each 2x)                                               | IP196181   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 211-240 (each 2x)                                               | IP196211   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 241-270 (each 2x)                                               | IP196241   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 271-300 (each 2x)                                               | IP196271   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 301-330 (each 2x)                                               | IP196301   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 331-360 (each 2x)                                               | IP196331   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 361-390 (each 2x)                                               | IP196361   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 391-420 (each 2x)                                               | IP196391   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 421-450 (each 2x)                                               | IP196421   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 451-480 (each 2x)                                               | IP196451   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Marking tags for TB and ST - terminals, 481-510 (each 2x)                                               | IP196481   |
| Marking tags for Phoenix Contact - terminals, series TB and ST                                          |            |
| Zack marker strip ZB 8, blank                                                                           | IP1052002  |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |
| Zack marker strip ZB 8, consecutive numbers 1-10                                                        | IP10520151 |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |
| Zack marker strip ZB 8, consecutive numbers 11-20                                                       | IP10520152 |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |
| Zack marker strip ZB 8, consecutive numbers 21-30                                                       | IP10520153 |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |
| Zack marker strip ZB 8, consecutive numbers 31-40                                                       | IP10520154 |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |
| Zack marker strip ZB 8, consecutive numbers 41-50                                                       | IP10520155 |
| Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm |            |

## Article Table

| DESCRIPTION                                                                                                                                                       | Order No.  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| <b>Optional Accessories</b>                                                                                                                                       |            |
| Zack marker strip ZB 8, consecutive numbers 51-60<br>Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm      | IP10520156 |
| Zack marker strip ZB 8, consecutive numbers 61-70<br>Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm      | IP10520157 |
| Zack marker strip ZB 8, consecutive numbers 71-80<br>Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm      | IP10520158 |
| Zack marker strip ZB 8, consecutive numbers 81-90<br>Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm      | IP10520159 |
| Zack marker strip ZB 8, consecutive numbers 91-100<br>Strip, white, snap into tall marker groove, for terminal width: 8.2 mm, lettering field: 10.5 x 8.15 mm     | IP1052015H |
| Zack marker strip flat ZBF 8, blank<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm                      | IP0808781  |
| Zack marker strip flat ZBF 8, consecutive numbers 1-10<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm   | IP08088041 |
| Zack marker strip flat ZBF 8, consecutive numbers 11-20<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088042 |
| Zack marker strip flat ZBF 8, consecutive numbers 21-30<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088043 |
| Zack marker strip flat ZBF 8, consecutive numbers 31-40<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088044 |
| Zack marker strip flat ZBF 8, consecutive numbers 41-50<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088045 |
| Zack marker strip flat ZBF 8, consecutive numbers 51-60<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088046 |
| Zack marker strip flat ZBF 8, consecutive numbers 61-70<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088047 |
| Zack marker strip flat ZBF 8, consecutive numbers 71-80<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088048 |
| Zack marker strip flat ZBF 8, consecutive numbers 81-90<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm  | IP08088049 |
| Zack marker strip flat ZBF 8, consecutive numbers 91-100<br>Strip, white, snap into flat marker groove, for terminal width: 8 mm, lettering field: 5.15 x 8.15 mm | IP0808804H |
| Cover D-TB 4-HESI<br>End cover, length: 58 mm, wide: 2.2 mm, hight: 35.1 mm, color: dark grey                                                                     | IP3059812  |
| Insertion bridge, can be separated, insulated INBS 10-8<br>Insert bridge, poles: 10                                                                               | IP3247159  |
|                                                                                                                                                                   | IP3001262  |

Article Table

| DESCRIPTION          | Order No. |
|----------------------|-----------|
| Optional Accessories |           |
|                      | IP1212602 |