

Data Sheet for Article: ISA05295-A

NH fuse switch ARROW BLUE size 3, 3-pole, M10


Panel mounting



Technical Data

Power loss (W)	51,00
Min. ambient temperature (°C)	-25
Max. ambient temperature (°C)	55
Size type	NH 3
Rated operational voltage (V)	690
Rated operational current (A)	630
Rated frequency (Hz)	50/60
Rated insulation voltage [Ui] (V)	1000
Rated conditional short-circuit-current	120
Rated impulse withstand voltage [Uimp] (V)	8
Poles	3
Connection	Screw-terminal
IP Rating	IP2XC

Dimensioned drawing: NH fuse switch ARROW BLUE size 3, 3-pole, M10



Article Table

DESCRIPTION	Order No.
NH fuse switch ARROW BLUE size 3, 3-pole, M10	ISA05295-A
Panel mounting	
Optional Accessories	
Boxterminal ARROW BLUE size 2 and size 3 max. clamping range: 95-300mm² Al/Cu	ISA05745-A
Cover support top/bottom 60 and 70mm for ARROW BLUE size 1-3	ISA05721-A
ARROW BLUE	
HRC fuse element, size 3, 200A, 400VAC	ISP03200
HRC fuse element, size 3, 250A, 400VAC	ISP03250
HRC fuse element, size 3, 315A, 400VAC	ISP03315
HRC fuse element, size 3, 400A, 400VAC	ISP03400
HRC fuse element, size 3, 500A, 400VAC	ISP03500
HRC fuse element, size 3, 630A, 400VAC	ISP03630