


Data Sheet for Article: LI1006327-

ENOLA OCULUS CL

11W, 1000/1100lm, 930/940, 100°, IP65, anthracite

Outdoor ceiling surface luminaire LED



Technical Data

Luminous flux (lm)	1100 1000
Light colour	neutral white warm white
Colour temperature (K)	4000 3000
Colour rendering index (Ra)	≥90
Service life	30000
Dimmable	no
Protection class	I
IP Rating	IP65
Energy efficiency class	E
Shock strength	IK03
Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes

Technical Data - continued

Lamp holder	LED Platine
Beam angle (°)	100
Power (W)	11
Operating voltage AC (V)	220-240
Operation current mA (mA)	500
Mounting	surface mounting ceiling
Colour	Anthracite
Material	Aluminum Glass
Lenght (mm)	100
Width (mm)	100
Height (mm)	120
Diameter (mm)	100
Optional Accessories	LI1003479-
LxWxH mm	100x100x120
ØxH mm	100x120

Article Table

DESCRIPTION	Order No.
ENOLA OCULUS CL 11 W, 1000/1100lm, 930/940, 100°, IP65, anthracite Outdoor ceiling surface luminaire LED	LI1006327
Optional Accessories	
Spacer Set ENOLA SQUARE OUT&ROUND OUT anthracite	LI1003479