

Data Sheet for Article: LI1006653-

NUMINOS XS 48V TRACK DALI Spot bl/ chrome 8,7W 2,7K CRI90 20°

3 circuit track system LED luminaire



Technical Data

Luminous flux (lm)	670
Light colour	warm white comfort
Colour temperature (K)	2700
Colour rendering index (Ra)	≥90
Glare factor (UGR)	16
Service life	50000
Dimmable	yes DALI 2
Energy efficiency class	F
Luminaire type	power rail luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	20
Power (W)	8,70
Operating voltage AC (V)	48
Operation current mA (mA)	200
Mounting	power rail

Technical Data - continued

Colour	Chrome Black
Material	Aluminum Polycarbonate
Height (mm)	80
Diameter (mm)	50
Optional Accessories	EHDALIDIM-
LxWxH mm	50x50x80
ØxH mm	50x80

Article Table

DESCRIPTION	Order No.
NUMINOS XS 48V TRACK DALI Spot bl/chrome 8,7W 2,7K CRI90 20° 3 circuit track system LED luminaire	LI1006653
Optional Accessories	
Flush-mounted Dimmer inbox for Dali Ballasts or Drivers For push button control	EHDALIDIM