

Data Sheet for Article: LI1008602-

# PANEL C DALI 625 34 W 830/840 UGR

mounting spring and suspension rope must be ordered separately



## Technical Data

|                             |                             |
|-----------------------------|-----------------------------|
| Net length (mm)             | 620,00                      |
| Net width (mm)              | 620,00                      |
| Net height (mm)             | 28,00                       |
| Net weight (kg)             | 1,94                        |
| Luminaire type              | Recessed ceiling luminaire  |
| Mounting                    | recessed mounting ceiling   |
| Colour                      | White                       |
| Material                    | Aluminum                    |
| Beam angle (°)              | 90                          |
| Glare factor (UGR)          | 19                          |
| Operating voltage AC (V)    | 220-240                     |
| Operation current mA (mA)   | 850                         |
| Lamp holder                 | LED Platine                 |
| Power (W)                   | 34                          |
| Light colour                | neutral white<br>warm white |
| Colour temperature (K)      | 4000<br>3000                |
| Colour rendering index (Ra) | ≥80                         |

## Technical Data - continued

|                        |                   |
|------------------------|-------------------|
| Luminous flux (lm)     | 4550<br>4650      |
| Service life           | 70000             |
| Dimmable               | DALI<br>Touch DIM |
| Protection class       | II                |
| IP Rating              | IP20/54           |
| Mounting Depth mm (mm) | 80                |
| LxWxH mm               | 620x620x28        |
| Cut-out size (mm)      | 590x590           |
| Cut-out size mm        | 590x590           |

## Article Table

| DESCRIPTION                                                    | Order No. |
|----------------------------------------------------------------|-----------|
| PANEL C DALI 625 34 W 830/840 UGR                              | LI1008602 |
| mounting spring and suspension rope must be ordered separately |           |
| <b>Necessary Accessories</b>                                   |           |
| PANEL C 4x Mounting springs                                    | LI1008610 |
| PANEL C suspension rope L: 150 cm                              | LI1008609 |