

Data Sheet for Article: LI132835--

CUBIX I floor light, GU10, ESL, max. 25W



Product Details

Mobile Aluminiumleuchte CUBIX 1 die durch Schutzart IP44 für den Außenbereich geeignet ist. Der am Rahmen montierte Leuchtenkopf ist zur optimalen Ausleuchtung schwenkbar. Der elektrische Anschluss der Leuchte erfolgt mittels verbauter Zuleitung inkl. Netzstecker direkt an 230V Netzspannung.

Technical Data

Dimmable	yes Depending on light source
Protection class	I
IP Rating	IP44
Luminaire type	Free standing luminaire
Light source	main voltage halogen reflector lamp LED Retrofit
Illuminant incl.	no
Number of lamps	1
Lamp holder	GU10
Swivel range (°)	100
Power (W)	25
Operating voltage AC (V)	230
Mounting	floor mounting
Colour	Anthracite

Technical Data - continued

Material	Aluminum Glass
Lenght (mm)	108
Width (mm)	105
Height (mm)	125
Optional Accessories	LI1005077-;LI1005080-;LI1005083-;LI1005273-
LxWxH mm	108x105x125

Article Table

DESCRIPTION	Order No.
CUBIX I floor light, GU10, ESL, max. 25W	LI132835
Optional Accessories	
LED Lamp QPAR51 GU10 2700K black Lamp	LI1005077
LED Lamp QPAR51 GU10 3000K black Lamp	LI1005080
LED Lamp QPAR51 GU10 4000K black Lamp	LI1005083
QPAR51 GU10, LED lamp 6W 2200 - 2700K CRI90 36° Dim to warm function, Non-directional LED high voltage lamp	LI1005273