

Datenblatt für Artikel: LI135170--

MEDO 90 LED recessed fitting, black, optionally suspendable

LED ceiling surface mounted and pendant luminaire



Produktinfo

Die hochwertige MEDO CL überzeugt durch eine klare Formgebung und das elegante Zusammenspiel der verwendeten Materialien Aluminium und Kunststoff. Dank integrierter Premium LED erzeugt sie eine helle und homogene Ausleuchtung. Durch die Verwendung des Abhängesets kann die Deckenleuchte zur Pendelleuchte umfunktioniert werden und eignet sich somit auch hervorragend für Räume mit hohen Decken. Der bereits verbaute LED Treiber ermöglicht den direkten Anschluss an eine Netzspannung von 120V - 240V.

Technische Daten

Service life	20.000h
Dimmable	yes 1-10V
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	105
Mounting	surface mounting ceiling
Length (mm)	900
Width (mm)	900
Height (mm)	125

Technische Daten - Fortsetzung

Diameter (mm)	900
Optional Accessories	LI1001950-;LI1001951-;LI1001952-;LI135250--;LI135251--;LI135254--
LxWxH mm	900x900x125
ØxH mm	900x125

Artikeltabelle

BEZEICHNUNG	BEST.NR.
MEDO 90 LED recessed fitting, black, optionally suspendable LED ceiling surface mounted and pendant luminaire	LI135170
Optional Accessories	
MEDO 5m suspension, white	LI1001950
MEDO 5m suspension, grey	LI1001951
MEDO 5m suspension, black	LI1001952
suspension set for 1-10V MEDO LED, 5-core, black	LI135250
suspension set for 1-10V MEDO LED, 5-core, white	LI135251
suspension set for 1-10V MEDO LED, 5-core, silvergrey	LI135254