

Data Sheet for Article: LI28004433

LC 200W 24VDC one4all NF SC EXC2 NFC/ DALI-2/switchDIM

one4all (DALI DT 6, DSI, switchDIM, corridorFUNCTION)




Technical Data

Service life	100.000h
Dimmable	DALI yes Push to DIM
Protection class	II
IP Rating	IP20
Power (W)	200
Controller	Power supply
Operating voltage AC (V)	220-240
Input voltage AC (V)	198-264
Input voltage DC (V)	176-280
Output voltage DC (V)	24
Frequency (Hz)	50/60
Colour	White
Material	Plastic
Lenght (mm)	325
Width (mm)	43

Technical Data - continued

Height (mm)	30
Optional Accessories	EHDALIDIM-
LxWxH mm	325x43x30

**Dimensioned drawing: LC 200W 24VDC one4all NF SC EXC2 NFC/DALI-2/
switchDIM**



Article Table

DESCRIPTION	Order No.
LC 200W 24VDC one4all NF SC EXC2 NFC/DALI-2/switchDIM one4all (DALI DT 6, DSI, switchDIM, corridorFUNCTION)	LI28004433
Optional Accessories	
Flush-mounted Dimmer inbox for Dali Ballasts or Drivers For push button control	EHDALIDIM