


Data Sheet for Article: LID10133--

10105/W WHITE 50W **ECONOMY**

01 REC SPOTS FIX




Technical Data

Dimmable	yes Depending on light source
Protection class	III
IP Rating	IP20
Luminaire type	downlight
Light source	Low voltage halogen - reflector lamp LED Retrofit
Illuminant incl.	no
Number of lamps	1
Lamp holder	GU5,3
Power (W)	50
Controller	Needs to be ordered separately
Operating voltage AC (V)	12
Operating voltage DC (V)	12
Input voltage AC (V)	12
Input voltage DC (V)	12

Technical Data - continued

Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 70
Mounting Depth mm (mm)	60
Colour	White
Material	Aluminum
Height (mm)	32
Diameter (mm)	81
Necessary Accessories	LID 13520--; LI44020746
ØxH mm	81x32
Cut-out size mm	Ø 70

Dimensioned drawing: 10105/W WHITE 50W



Article Table

DESCRIPTION	Order No.
10105/W WHITE 50W 01 REC SPOTS FIX	LID10133
Necessary Accessories	
89075W DRIVER 12V 0-75W 230V 23 DRIVERS	LID13520
RL-MR16 35 3,8W 830 345lm 12V GU5.3 36° LED low voltage reflector lamp	LI44020746