

Data Sheet for Article: LID10906--

Pinta-I-Q 50W GU5,3 IP44 12V AC/DC white



Technical Data

Dimmable	yes Depending on light source
Protection class	III
IP Rating	IP44
Luminaire type	Recessed ceiling luminaire
Light source	MR16
Number of lamps	1
Lamp holder	GU5,3
Power (W)	50
Controller	Needs to be ordered separately
Operating voltage AC (V)	12
Operating voltage DC (V)	12
Input voltage AC (V)	12
Input voltage DC (V)	12
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 70
Mounting Depth mm (mm)	100
Colour	White
Material	Die-cast aluminum
Lenght (mm)	85

Technical Data - continued

Width (mm)	85
Height (mm)	50
Optional Accessories	LI43319521; LID16949--
LxWxH mm	85x85x50
Cut-out size mm	Ø 70

Article Table

DESCRIPTION	Order No.
Pinta-I-Q 50W GU5,3 IP44 12V AC/DC white	LID10906
Optional Accessories	
RL-MR16 35 DIM 5W 12V 36° 827 350lm 950cd GU5.3 25000h	LI43319521
050180E FAST CABLE CONNECTOR 32A 2x3-port	LID16949
26 ACCES&GADGETS	