


Data Sheet for Article: LID11662--

67132D/G GREY SQUARE CEIL PAR30 20W

IP54 **€ECONOMY**

Outdoor Ceiling luminaire; 12 WALL & CEILING



Product Details

75W PAR30 E27 Die Cast, PAR30 Outdoor Cubes. Complies with standard EN60598-1 and any other specific standards



Technical Data

Dimmable	yes Depending on light source
Protection class	I
IP Rating	IP54
Luminaire type	surface mounted ceiling luminaire
Light source	Incandescent bulb Energy saver bulb LED Retrofit
Illuminant incl.	no
Number of lamps	1
Lamp holder	E27

Technical Data - continued

Power (W)	20
Operating voltage AC (V)	100-240
Input voltage AC (V)	100-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Grey
Material	Die-cast aluminum
Length (mm)	108
Width (mm)	108
Height (mm)	140
Optional Accessories	LIMD0027--; LID 13012--; LID 14500--; LID 16949--; LID 13106--
Necessary Accessories	LID 14499--
LxWxH mm	108x108x140

Dimensioned drawing: 67132D/G GREY SQUARE CEIL PAR30 20W IP54



Article Table

DESCRIPTION	Order No.
67132D/G GREY SQUARE CEIL PAR30 20W IP54 Outdoor Ceiling luminaire; 12 WALL & CEILING	LID11662
Necessary Accessories	
7310H/W PAR30 LED 10W WW E27 230V 25 LAMPS	LID14499
Optional Accessories	
LED Classic 8,8W 4000K 806lm E27 A60 270°, daylight sensor	LIMD0027
9G12B/EW/E LED 10w EW E27 FROSTED 230V 25 LAMPS	LID13012
7310H/C PAR30 COB LED 10W CW E27 230V 25 LAMPS	LID14500
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949
89009/EME EMERGENCY KIT FOR GU10/E27 LED LAMPS 3-7W This kit will also operate with GU10 LED lamps suitable for 180V DC power supply (Emergency); 22 EMERGENCY LIGHTS	LID13106