

Data Sheet for Article: LID14358--

89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT

Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS



Product Details

1W Emergency LED ceiling Plexiglass Exit sign. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Emergency light	Emergency kit 3h
Dimmable	no
Protection class	II
IP Rating	IP44
Luminaire type	ceiling luminaire
Light source	LED
Lamp holder	LED Platine
Power (W)	1
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling

Technical Data - continued

Colour	White
Material	Plastic
Length (mm)	300
Height (mm)	205
Optional Accessories	LID16949--
ØxH mm	305x205

Dimensioned drawing: 89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT



Article Table

DESCRIPTION	Order No.
89406/W WHITE EMERGENCY 1W IP44 M3 hrs WALL/CEILING MOUNT Emergency Lights, wall,-ceiling mounted; 22 EMERGENCY LIGHTS	LID14358
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949