


Data Sheet for Article: LID 14512--

# 68004/W/W WHITE RECESSED 3W WW

## DARK LIGHT IP54 350mA €CONOMY

recessed wall luminaire, without driver; 19 WALL REC & INGRND



### Product Details

3W 350mA LED wall recessed light, IP54, ideal for both indoor and outdoor installation. Requires 350mA driver. Supplied with box for concrete installation Complies with standard EN60598-1 and any other specific standards.




### Technical Data

|                             |                            |
|-----------------------------|----------------------------|
| Luminous flux (lm)          | 120                        |
| Light colour                | warm white                 |
| Colour temperature (K)      | 3000                       |
| Colour rendering index (Ra) | ≥90                        |
| Dimmable                    | Depending on driver<br>yes |
| Protection class            | III                        |
| IP Rating                   | IP54                       |
| Luminaire type              | Recessed wall luminaire    |
| Illuminant incl.            | yes                        |

## Technical Data - continued

|                           |                                |
|---------------------------|--------------------------------|
| Lamp holder               | LED Platine                    |
| Beam angle (°)            | 24                             |
| System efficiency (lm/W)  | 40                             |
| Power (W)                 | 3                              |
| Controller                | Needs to be ordered separately |
| Operation current mA (mA) | 350                            |
| Input current (A)         | 0,35                           |
| Mounting                  | recessed wall mounting         |
| Cut-out size (mm)         | Ø 49                           |
| Mounting Depth mm (mm)    | 110 (zement), 70 (gips)        |
| Colour                    | White                          |
| Material                  | Aluminum                       |
| Lenght (mm)               | 56                             |
| Width (mm)                | 56                             |
| Height (mm)               | 54                             |
| Optional Accessories      | LID16949--                     |
| Necessary Accessories     | LID13677--; LID16462--;        |
| LxWxH mm                  | 56x56x54                       |
| Cut-out size mm           | Ø 49                           |

## Dimensioned drawing: 68004/W/W WHITE RECESSED 3W WW DARK LIGHT IP54 350mA



## Article Table

| DESCRIPTION                                                                                                           | Order No. |
|-----------------------------------------------------------------------------------------------------------------------|-----------|
| 68004/W/W WHITE RECESSED 3W WW DARK LIGHT IP54 350mA<br>recessed wall luminaire, without driver; 19 WALL REC & INGRND | LID14512  |
| <b>Necessary Accessories</b>                                                                                          |           |
| 89004 DRIVER 350mA 1-4W IP66 230V<br>23 DRIVERS                                                                       | LID13677  |
| 89004T DIMMABLE DRIVER 350mA 2-4W IP66 230V<br>23 DRIVERS                                                             | LID16462  |
| <b>Optional Accessories</b>                                                                                           |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port<br>26 ACCES&GADGETS                                                         | LID16949  |