


Data Sheet for Article: LID14544--

# 68068C/G/W GREY WALL RECESSED 7W WW

## IP65 DARK LIGHT 100-240V €ECONOMY

recessed wall luminaire; 19 WALL REC & INGRND



### Product Details

7W LED wall recessed light, IP65, ideal for both indoor and outdoor installation. Complete 350mA driver. Supplied with box for concrete installation. Complies with standard EN60598-1 and any other specific standards.



### Technical Data

|                             |                         |
|-----------------------------|-------------------------|
| Luminous flux (lm)          | 550                     |
| Light colour                | warm white              |
| Colour temperature (K)      | 3000                    |
| Colour rendering index (Ra) | ≥80                     |
| Dimmable                    | no                      |
| Protection class            | I                       |
| IP Rating                   | IP65                    |
| Shock strength              | IK06                    |
| Luminaire type              | Recessed wall luminaire |
| Illuminant incl.            | yes                     |

## Technical Data - continued

|                           |                        |
|---------------------------|------------------------|
| Lamp holder               | LED Platine            |
| System efficiency (lm/W)  | 91                     |
| Power Factor              | 0,5                    |
| Power (W)                 | 7                      |
| Controller                | LED driver             |
| Operating voltage AC (V)  | 100-240                |
| Input voltage AC (V)      | 100-240                |
| Operation current mA (mA) | 350                    |
| Input current (A)         | 0,35                   |
| Frequency (Hz)            | 50/60                  |
| Mounting                  | recessed wall mounting |
| Cut-out size (mm)         | 220x70                 |
| Mounting Depth mm (mm)    | 80                     |
| Colour                    | Grey                   |
| Material                  | Die-cast aluminum      |
| Lenght (mm)               | 225                    |
| Width (mm)                | 75                     |
| Height (mm)               | 55                     |
| Optional Accessories      | LID 16949--            |
| LxWxH mm                  | 225x75x55              |
| Cut-out size mm           | 220x70                 |

## Dimensioned drawing: 68068C/G/W GREY WALL RECESSED 7W WW IP65 DARK LIGHT 100-240V



## Article Table

| DESCRIPTION                                                                                                   | Order No. |
|---------------------------------------------------------------------------------------------------------------|-----------|
| 68068C/G/W GREY WALL RECESSED 7W WW IP65 DARK LIGHT 100-240V<br>recessed wall luminaire; 19 WALL REC & INGRND | LID14544  |
| <b>Optional Accessories</b>                                                                                   |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port<br>26 ACCES&GADGETS                                                 | LID16949  |