

Data Sheet for Article: LID15404--

# 67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT

Wall and ceiling luminaire, Complete with driver; 13 WALL & CEIL LED



## Product Details

7W LED Wall and Ceiling Dark light. Complete with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


## Technical Data

|                             |                                     |
|-----------------------------|-------------------------------------|
| Luminous flux (lm)          | 600                                 |
| Light colour                | warm white                          |
| Colour temperature (K)      | 3000                                |
| Colour rendering index (Ra) | ≥80                                 |
| Dimmable                    | no                                  |
| Protection class            | II                                  |
| IP Rating                   | IP54                                |
| Shock strength              | IK08                                |
| Luminaire type              | ceiling luminaire<br>wall luminaire |
| Illuminant incl.            | yes                                 |
| Lamp holder                 | LED Platine                         |
| System efficiency (lm/W)    | 85                                  |

## Technical Data - continued

|                           |                                                   |
|---------------------------|---------------------------------------------------|
| Power Factor              | 0,5                                               |
| Power (W)                 | 7                                                 |
| Controller                | LED driver                                        |
| Operating voltage AC (V)  | 220-240                                           |
| Input voltage AC (V)      | 220-240                                           |
| Operation current mA (mA) | 300                                               |
| Input current (A)         | 0,30                                              |
| Frequency (Hz)            | 50/60                                             |
| Mounting                  | surface mounting ceiling<br>surface mounting wall |
| Colour                    | Anthracite                                        |
| Material                  | ABS<br>PC                                         |
| Cover                     | PC opal                                           |
| Height (mm)               | 60                                                |
| Diameter (mm)             | 163                                               |
| Optional Accessories      | LID16949--                                        |
| ØxH mm                    | 163x60                                            |

## Dimensioned drawing: 67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT



## Article Table

| DESCRIPTION                                                                                                                       | Order No. |
|-----------------------------------------------------------------------------------------------------------------------------------|-----------|
| 67450/AN/W ANTHRACITE WALL LED 7W WW IP54 230V DARK LIGHT<br>Wall and ceiling luminaire, Complete with driver; 13 WALL & CEIL LED | LID15404  |
| <b>Optional Accessories</b>                                                                                                       |           |
| 050180E FAST CABLE CONNECTOR 32A 2x3-port<br>26 ACCES&GADGETS                                                                     | LID16949  |