

Data Sheet for Article: LID15932--

62144N/BGL/W BRUSHED GOLD PLAFO LED

50W WW IP20 230V

Ceiling luminaire; 14 PLAFO



Product Details

50W LED Plafo, IP20 suitable for residential and commercial application. Complete with 1200mA driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	4250
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP20
Luminaire type	ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	120
Power of system (W)	55
System efficiency (lm/W)	85

Technical Data - continued

Power Factor	0,9
Power (W)	50
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	1200
Input current (A)	1,20
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	Gold
Material	Aluminum
Height (mm)	85
Diameter (mm)	610
Optional Accessories	LID16949--
ØxH mm	610x85

Article Table

DESCRIPTION	Order No.
62144N/BGL/W BRUSHED GOLD PLAFO LED 50W WW IP20 230V Ceiling luminaire; 14 PLAFO	LID15932
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949