

Datenblatt für Artikel: LID16276--

12606C/W/W WHITE 15W WW IP20 230V DARK LIGHT

LED surface-mounted Downlight; 13 WALL & CEIL LED



Produktinfo

15W SMD LED ceiling light IP20. Complete with 700mA driver. Complies with standard EN60598-1 and any other specific standards.


Technische Daten

Luminous flux (lm)	1200
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥85
Dimmable	no
Protection class	I
IP Rating	IP20
Luminaire type	ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	25
System efficiency (lm/W)	80
Power Factor	0,5

Technische Daten - Fortsetzung

Power (W)	15
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	700
Input current (A)	0,70
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	White
Material	Aluminum
Height (mm)	84
Optional Accessories	LID16949--
LxWxH mm	185x35x84

Dimensioned drawing: 12606C/W/W WHITE 15W WW IP20 230V DARK LIGHT



Artikeltabelle

BEZEICHNUNG	BEST.NR.
12606C/W/W WHITE 15W WW IP20 230V DARK LIGHT LED surface-mounted Downlight; 13 WALL & CEIL LED	LID16276
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949