

Data Sheet for Article: LID16339--

38118K/MC/C BRUSHED CHROME LED CW 18W IP44 230V

LED mirror luminaires; 18 BATHROOM



Product Details

18W LED fitting ideal for installation above the bathroom mirror, IP44. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.


Technical Data

Luminous flux (lm)	1225
Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥80
Dimmable	no
Protection class	I
IP Rating	IP44
Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	68
Power Factor	0,9
Power (W)	18
Controller	LED driver

Technical Data - continued

Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	700
Input current (A)	0,70
Frequency (Hz)	50/60
Mounting	surface mounting wall
Colour	Chrome
Material	Aluminum Glass
Cover	Glas opal
Height (mm)	105
Optional Accessories	LID16949--
LxWxH mm	580x85x105

Dimensioned drawing: 38118K/MC/C BRUSHED CHROME LED CW 18W IP44 230V



Article Table

DESCRIPTION	Order No.
38118K/MC/C BRUSHED CHROME LED CW 18W IP44 230V LED mirror luminaires; 18 BATHROOM	LID16339
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949