

Data Sheet for Article: LID16655--

12108DB/W/W WHITE BACKLIT 8W WW IP20

230V DARK LIGHT

Reflector must be ordered separately, ceiling luminaire; 13 WALL & CEIL LED



Product Details

8W COB LED Cylinder with SMD backlit LED with exchangeable reflectors. Reflector must be order separately.
 Complete with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	420
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	I
IP Rating	IP20
Luminaire type	ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	36
System efficiency (lm/W)	52
Power Factor	0,9

Technical Data - continued

Power (W)	8
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Operation current mA (mA)	700
Input current (A)	0,70
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	White
Material	Aluminum
Height (mm)	80
Diameter (mm)	70
Optional Accessories	LID16480--; LID16482--; LID16481--
Necessary Accessories	LID16481--; LID16480--; LID16482--;
ØxH mm	70x80

Article Table

DESCRIPTION	Order No.
12108DB/W/W WHITE BACKLIT 8W WW IP20 230V DARK LIGHT Reflector must be ordered separately, ceiling luminaire; 13 WALL & CEIL LED	LID16655
Necessary Accessories	
050206/W WHITE REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16481
050206/B BLACK REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16480
050206/BS BRASS REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16482
Optional Accessories	
050206/B BLACK REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16480
050206/BS BRASS REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16482
050206/W WHITE REFLECTOR FOR 12108D/12108DB Reflector; 13 WALL & CEIL LED	LID16481