

Data Sheet for Article: LID16690--

10103E/B/BS/W BLACK/BRASS LED 3W WW

350mA DARK LIGHT

02 REC SPOTS FIX LED



Product Details

3W Recessed Dark Light LED spot IP20. Requires 350mA driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Luminous flux (lm)	240
Light colour	warm white
Colour temperature (K)	3000
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP20
Luminaire type	Recessed ceiling luminaire
Illuminant incl.	yes
Lamp holder	LED Platine
Beam angle (°)	36
System efficiency (lm/W)	80

Technical Data - continued

Power (W)	3
Controller	Needs to be ordered separately
Operation current mA (mA)	350
Input current (A)	0,35
Mounting	recessed mounting ceiling
Cut-out size (mm)	Ø 44
Mounting Depth mm (mm)	60
Colour	Brass Black
Material	Aluminum
Height (mm)	52
Diameter (mm)	50
Optional Accessories	LID 16949--
Necessary Accessories	LID 13677--;
ØxH mm	50x52
Cut-out size mm	Ø 44

Article Table

DESCRIPTION	Order No.
10103E/B/BS/W BLACK/BRASS LED 3W WW 350mA DARK LIGHT 02 REC SPOTS FIX LED	LID16690
Necessary Accessories	
89004 DRIVER 350mA 1-4W IP66 230V 23 DRIVERS	LID13677
Optional Accessories	
050180E FAST CABLE CONNECTOR 32A 2x3-port 26 ACCES&GADGETS	LID16949