


Data Sheet for Article: LID16710--

7846W/C COB LED STRIP 24V DC CW 5m

ROLL 14W/m IP67

08 STRIPS & PROFILES



Product Details

IP67 Flexible COB LED light strip, 512LEDs/m, 14W/meter. Supplied in 5 meters roll with white PCB and double adhesive tape for a better fixing. Can be cut every 6,25cm. Requires 24V DC constant voltage LED driver. Complies with standard EN60598-1 and any other specific standards.

Technical Data

Light colour	neutral white
Colour temperature (K)	4000
Colour rendering index (Ra)	≥90
Dimmable	Depending on driver yes
Protection class	III
IP Rating	IP67
Energy efficiency class	F
Luminaire type	LED Strip
Illuminant incl.	yes
Lamp holder	LED Platine
System efficiency (lm/W)	96

Technical Data - continued

Controller	Needs to be ordered separately
Operating voltage DC (V)	24
Input voltage DC (V)	24
Mounting	surface mounting ceiling surface mounting wall floor mounting
Material	Silikon
Length (mm)	5000
Width (mm)	12,50
Optional Accessories	LID16631--
luminous flux/m (lm/m)	1350

Article Table

DESCRIPTION	Order No.
7846W/C COB LED STRIP 24V DC CW 5m ROLL 14W/m IP67	LID16710
08 STRIPS & PROFILES	
Optional Accessories	
7827A MOUNTING CLIP FOR 7830W/RGBW, 7846W, 7846WA 14mm	LID16631
08 STRIPS & PROFILES	