


Data Sheet for Article: LID17885--

62115F/W/V WHITE PLAFO 15W CCTV IP40

230V **€CONOMY**

surface mounted panel; 14 PLAFO



Product Details

15W CCT Variable LED slim plafo light, IP40. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.




Technical Data

Luminous flux (lm)	1350
Light colour	neutral white warm white
Colour temperature (K)	2700 4000 3000
Colour rendering index (Ra)	≥90
Dimmable	no
Protection class	II
IP Rating	IP65


Technical Data - continued

Luminaire type	surface mounted ceiling luminaire
Illuminant incl.	yes
Number of lamps	1
Lamp holder	LED Platine
System efficiency (lm/W)	90
Power Factor	0,9
Power (W)	15
Controller	LED driver
Operating voltage AC (V)	220-240
Input voltage AC (V)	220-240
Frequency (Hz)	50/60
Mounting	surface mounting ceiling
Colour	White
Material	Aluminum
Height (mm)	39
Diameter (mm)	240
ØxH mm	240x39

Dimensioned drawing: 62115F/W/V WHITE PLAFO 15W CCTV IP40 230V



Dimensioned drawing: 62115F/W/V WHITE PLAFO 15W CCTV IP40 230V



Dimensioned drawing: 62115F/W/V WHITE PLAFO 15W CCTV IP40 230V



DESCRIPTION	Order No.
62115F/W/V WHITE PLAFO 15W CCTV IP40 230V surface mounted panel; 14 PLAFO	LID17885