

Data Sheet for Article: LILE0075--

Elegance Disc LED 10W/ 18W/ 24W 3/4K

CRI90 IP20 dimm white

Wall, ceiling light with adjustable wattage and light colour, lumen 10W = 1000lm 18W = 1800lm 24W= 2300lm



Product Details

The ELEGANCE Disc is a stylish and flat surface-mounted luminaire, perfect for enhancing the aesthetics of corridors, auxiliary rooms, recreational areas, and stairwells. With switchable wattage and color temperature settings (3000K, 4000K), it offers both versatility and efficiency. Available in 10W (1000lm), 18W (1800lm), and 24W (2300lm), it provides broad and even light distribution. A CRI of 90 ensures vibrant color rendering. The TRIAC dimmable driver allows for flexible lighting control, and the IP20 rating makes it ideal for indoor use.




Technical Data

Net height (mm)	39,00
Net diameter (mm)	300,00
Net weight (kg)	1,25
Min. ambient temperature (°C)	-20
Max. ambient temperature (°C)	40

Technical Data - continued

Luminaire type	wall luminaires surface mounted ceiling luminaire
Mounting	surface mounting ceiling surface mounting wall
Colour	White
Material	Aluminum Polycarbonate
Beam angle (°)	110
Controller	LED driver
Operating voltage AC (V)	220-240
Lamp holder	LED Platine
System efficiency (lm/W)	100
Power (W)	24 18 10
Light colour	neutral white warm white
Colour temperature (K)	3000, 4000
Colour rendering index (Ra)	≥90
Luminous flux (lm)	10W = 1000 / 18W = 1800 / 24W = 2300
Service life	80.000h / L70 / B50 II 50.000h / L80 / B50
Dimmable	yes trailing edge dimmable (C)
Protection class	II
IP Rating	IP20
Energy efficiency class	E
Shock strength	IK08
Illuminant incl.	yes
Diameter (mm)	300
ØxH mm	300x39

**Dimensioned drawing: Elegance Disc LED 10W/ 18W/ 24W 3/4K CRI90 IP20
dimm white**



DESCRIPTION	Order No.
Elegance Disc LED 10W/18W/24W 3/4K CRI90 IP20 dimm white	LILE0075
Wall, ceiling light with adjustable wattage and light colour, lumen 10W = 1000lm 18W = 1800lm 24W= 2300lm	