


Data Sheet for Article: LIUS0059--

# MARRA 3 COB FREE CUT 10W/m 900lm/m 3000K CRI90 24VDC IP54 5m

8 mm wide, freely cuttable, suitable for indoor use only




## Technical Data

|                                 |                     |
|---------------------------------|---------------------|
| Net length (mm)                 | 5.000,00            |
| Net width (mm)                  | 8,00                |
| Net height (mm)                 | 2,00                |
| Net weight (kg)                 | 0,06                |
| Min. ambient temperature (°C)   | -20                 |
| Max. ambient temperature (°C)   | 40                  |
| Luminaire type                  | LED Strip           |
| Beam angle (°)                  | 120                 |
| Operating voltage DC (V)        | 24                  |
| System efficiency (lm/W)        | 133                 |
| Light colour                    | warm white          |
| Colour temperature (K)          | 3000                |
| Colour rendering index (Ra)     | ≥90                 |
| Colour stability MacAdam (sdcn) | 3                   |
| luminous flux/m (lm/m)          | 900                 |
| Service life                    | 50.000h / L70 / B10 |

## Technical Data - continued

|                  |                            |
|------------------|----------------------------|
| Dimmable         | Depending on driver<br>yes |
| Protection class | III                        |
| IP Rating        | IP54                       |
| LxWxH mm         | 5000x8x2                   |

### Dimensioned drawing: MARRA 3 COB FREE CUT 10W/m 900lm/m 3000K CRI90 24VDC IP54 5m



## Article Table

| DESCRIPTION                                                                                                              | Order No.  |
|--------------------------------------------------------------------------------------------------------------------------|------------|
| MARRA 3 COB FREE CUT 10W/m 900lm/m 3000K CRI90 24VDC IP54 5m<br>8 mm wide, freely cuttable, suitable for indoor use only | LIUS0059   |
| <b>Optional Accessories</b>                                                                                              |            |
| Feed in Connector 2-pin 8mm for MARRA 3 COB FREE CUT                                                                     | LIUS0061   |
| I-Connector 2-pin 8mm for MARRA 3 COB FREE CUT                                                                           | LIUS0062   |
| L-Connector 2-pin 8mm for MARRA 3 COB FREE CUT                                                                           | LIUS0063   |
| LED Power Supplies LPF 90W/24V, MM, IP67                                                                                 | LINT024090 |