

Data Sheet for Article: MGF87050-A

Frequency meter, 72x72mm, 45 to 65Hz, 230VAC

Type Front mounting, Function frequency meter, Size 72x72mm, , IP Rating IP52 (front), IP00 (connections)




Technical Data

Standard	EN 50081 BS-89 VDE 0410 EN 60051 EN 50082 EN 61010
Type	Front mounting
Display technology	analog
Size	72x72mm
Frequency range	45-65Hz
Voltage range (V)	230VAC +/-15%
Accuracy	0,50 percent
Operating voltage AC (V)	600
Isolation test voltage	2 kV R.M.S 50 Hz/1 min
Reference temperature (°C)	+10 bis +30
Temperature range - Transport/storage (°C)	-25 to +40


Technical Data - continued

Power loss (W)	1,20
Mounting method	Instrument for vertical mounting
IP Rating	IP52 (front), IP00 (connections)
Burden	5VA

Circuit diagram: Frequency meter, 72x72mm, 45 to 65Hz, 230VAC



Dimensioned drawing: Frequency meter, 72x72mm, 45 to 65Hz, 230VAC



DESCRIPTION	Order No.
Frequency meter, 72x72mm, 45 to 65Hz, 230VAC	
Type Front mounting, Function frequency meter, Size 72x72mm, , IP Rating IP52 (front), IP00 (connections)	MGF87050-A