

Data Sheet for Article: MM216776--


Indicator light flat, w/o lense

Make-up Indicator light, Version flat, Illumination for passive illumination, , IP Rating IP65, Series MM



Technical Data

Series	MM
Version	flat
Illumination	for passive illumination
Make-up	Indicator light
IP Rating	IP65
Optional Accessories	MM216374--;MM216453--;MM216454--;MM216455--;MM216456--;MM216457--
Rated impulse withstand voltage [Uimp] (V)	4000
Rated insulation voltage [Ui] (V)	250
Overvoltage category/pollution degree	III / 3
shock resistance	30G
Ambient temperature Open (°C)	-25°C...+70°C
Climatic proofing	Damp heat, constant, to IEC 60068-2-78 Damp heat, cyclic, to IEC 60068-2-30
Standard	IEC EN 60947 VDE 0660
Mounting position	any
Type No.	M22-L-X

Maßbild

Article Table

DESCRIPTION	Order No.
Indicator light flat, w/o lense	MM216776
Make-up Indicator light, Version flat, Illumination for passive illumination, , IP Rating IP65, Series MM	
Optional Accessories	
Adapter (front)	MM216374
Make-up Mounting adapter, Illumination No, Colour Black, Series MM	
Lens,indicator light,flat,blank	MM216453
Make-up Lenses for indicator lights, Version flat, Illumination for passive illumination, Colour White , Series MM	
Lens,indicator light,flat,red	MM216454
Make-up Lenses for indicator lights, Version flat, Illumination for passive illumination, Colour Red, Series MM	
Lens,indicator light,flat,green	MM216455
Make-up Lenses for indicator lights, Version flat, Illumination for passive illumination, Colour Green , Series MM	
Lens,indicator light,flat,yellow	MM216456
Make-up Lenses for indicator lights, Version flat, Illumination for passive illumination, Colour Yellow, Series MM	
Lens,indicator light,flat,blue	MM216457
Make-up Lenses for indicator lights, Version flat, Illumination for passive illumination, Colour Blue, Series MM	